

- STRENGTH DESIGN METHOD IN ACCORDANCE WITH (I.A.W.)ACI 318.
- CONCRETE COMPRESSIVE STRENGTH AT 28 DAYS = 5,000 PSI (MIN).
- PRECAST RATED FOR HS20 LIVE LOAD W/ IMPACT I.A.W. AASHTO
- GROUND WATER TABLE ASSUMED 3'-6" BELOW GRADE. IF DESIGN (OR ACTUAL) WATER TABLE IS LESS THAN ASSUMED, REVIEWING ENGINEER TO NOTIFY OLDCASTLE PRECAST UPON REVIEW OF THIS
- CARBON-STEEL DEFORMED BARS: ASTM A615, fy = 60KSI (MIN).
- JOINT SEALANT (AS DETAILED AND NOTED IN DRAWINGS HEREIN): • CS-102 CONSEAL BUTYL RUBBER SEALANT (OR EQUIV.) I.A.W. ASTM
- PRECAST DESIGN DOES NOT INCLUDE ANY LATERAL OR SURCHARGE LOADS FROM OTHER BUILDINGS OR FOUNDATIONS ADJACENT TO THIS STRUCTURE. THIS STRUCTURE SHALL BE KEPT A MINIMUM OF 1:1 RATIO AWAY FROM OTHER FOOTINGS OR

PLEASE VERIFY ALL SIZES, LOCATIONS, AND ELEVATIONS OF

THE CONTRACTOR SHALL BE RESPONSIBLE FOR PROPER COORDINATION TO ENSURE THAT AN ADEQUATE BEARING SURFACE IS PROVIDED (I.E. LEVEL AND COMPACTED) PER PROJECT

- AFTER PIPES ARE INSTALLED IN BLOCKOUTS, ALL ANNULAR SPACES SHALL BE FILLED WITH A MIN. OF 3,000 psi CONCRETE, TIGHT TO THE UNDERSIDE OF UPPER SECTION FOR FULL THICKNESS OF VAULT
- CONTRACTOR TO RESPONSIBLE FOR THE FOLLOWING: • SUPPLY & INSTALL ALL PIPING & SAMPLING TEES, GROUT IN BAFFLE
 - . GRAY WATER ONLY, BLACK WATER SHALL BE CARRIED BY

oncrete(CY)

3.70

1.16

3.58

0.67

4.000

GALLON

SALES ORDER

SHEET

1 OF 1

CHECKED

REVISION

REV DATE

- FILL WITH CLEAN WATER PRIOR TO "START-UP" OF SYSTEM.