


REV	DESCRIPTION	BY	DATE
Α	NCS UPDATES	CP	7/20/17





END VIEW
SCALE: 1/4" = 1'-0"



STRUCTURAL NOTES

1. CONCRETE: 28 DAY COMPRESSIVE STRENGTH fc = 4,500 psi

 2. REBAR:
 ASTM A-615 GRADE 60

 3. MESH:
 ASTM A-1064 GRADE 65

 4. DESIGN:
 ACI 318-14 BUILDING CODE

ASTM C-857 "MINIMUM STRUCTURAL DESIGN LOADING FOR UNDERGROUND PRECAST

CONCRETE UTILITY STRUCTURES"

5. LOADS: NON-TRAFFIC

SOIL: 40 PCF LATERAL SOIL PRESSURE ABOVE WATER TABLE 80 PCF LATERAL SOIL PRESSURE BELOW WATER TABLE

120 PCF SOIL DENSITY

6. SOIL COVER: 0' TO 5' (MAX.)
7. WATER TABLE: 5'-0" BELOW GRADE

GENERAL NOTES

1. ALL JOINTS SHALL BE SEALED USING CONSEAL CS-101 BUTYL RUBBER ROPE.



THIS DOCUMENT IS THE PROPERTY OF OLDCASTLE PRECAST, INC. IT IS CONFIDENTIAL, SUBMITTED FOR REFERENCE PURPOSES ONLY, AND SHALL NOT BE USED IN ANY WAY HAURIOUS TO THE INTERESTS OF, OR WITHOUT THE WRITTEN PERMISSION OF OLDCASTLE PRECAST, INC. OLD RIGHTS RESERVED.

615-WA-PRV

CUSTOMER
CUSTOMER STANDARD

STANDARD											
DATE	SALES	DRAWN	ENGINEER	CHECKED	SALES ORDER						
9/27/99		JM									
	DRAWING N	REVISION	SHEET								
	V53W	REV DATE	1 OF 1								