

NOTES: AGN-1

- FRAME ASSEMBLY AND GRATE ARE PER CONTRA COSTA COUNTY STANDARDS.
- FRAME AND GRATE SHALL BE HOT DIP GALVANIZED
- WHEN "H" EXCEEDS 6'-0", USE TYPE-A TOP WITH A TRANSITION SLAB ON TOP OF A TYPE-1 MANHOLE BASE PER CONTRA COSTA COUNTY SPECIFICATIONS.
- 3"Ø WEEP HOLES, ONE EACH SIDE AND FRONT WALLS, ARE CHIPPED IN GREEN CONCRETE PER CONTRA COSTA COUNTY SPECIFICATIONS.
- INLET INCLUDES STEPS.
- INLET PER PUBLIC WORKS SPECIFICATIONS.





TOP WEIGHT W/O GRATE: 1,230 LBS. WEIGHT OF GRATE:

90 LBS WEIGHT OF BASE VARIES

DRAWING MAY NOT CONFORM TO THE MOST CURRENT SPECIFICATION

## Oldcastle Precast

Northern California Madera ■ Morgan Hill ■ Pleasanton ■ Santa Rosa ■ Stockton ■ Tulare Phone: 925-750-6650 Fax: 925-750-6660

## **CCC TYPE A**

FILE NAME: AGN-1.DWG

REVISED: MARCH 2016

www.oldcastleprecast.com

## TYPE A INLET **CONTRA COSTA COUNTY** AGENCY STRUCTURES

Copyright © 2016 Oldcastle Precast, Inc.