


NOTES:


1. REINFORCEMENT SHALL BE EQUAL TO THAT REQUIRED FOR CLASS III RCP OF CORRESPONDING DIAMETER PER CALTRANS SPECIFICATIONS.

CDOT-14


PIPE DIA.	A	B	C	D	E	F	WEIGHTS LBS.
12"	4"	2"	13"	24"	24"	37"	400
18"	9"	2½"	13"	27"	36"	40"	900
24"	9½"	3"	16"	42"	48"	56"	1,400
30"	12"	3½"	18"	54"	60"	72"	2,300
36"	15"	4"	18"	63"	72"	81"	4,100
42"	21"	5"	18"	63"	78"	81"	5,200
48"	24"	5"	18"	72"	84"	90"	6,500
54"	27"	6"	18"	65"	90"	83"	7,400




PLAN VIEW



ISOMETRIC VIEW



SECTION A-A



END VIEW

DRAWING MAY NOT CONFORM TO THE MOST CURRENT SPECIFICATION



Oldcastle Precast®

Northern California
Madera ■ Morgan Hill ■ Pleasanton ■ Santa Rosa ■ Stockton ■ Tulare
Phone: 925-750-6650 Fax: 925-750-6660

FLARED ENDS

FILE NAME: CDOT-14.DWG

REVISED: MARCH 2016

www.oldcastleprecast.com

**CONCRETE FLARED
END SECTIONS
CALTRANS**

Copyright © 2016 **Oldcastle** Precast, Inc.