



- NOTES:**
1. CONCRETE: 28 DAY COMP. STRENGTH F'C = 4,000 PSI.
 2. PRECAST STRUCTURES ARE PRODUCED TO MEET OR EXCEED ASTM SPECIFICATIONS.
 3. SUPPORTS AN H20 LOADING AS INDICATED BY AASHTO.
 4. CONTRACTOR TO VERIFY SIZE AND LOCATION OF ALL OPENINGS, KNOCK-OUT, BLOCK-OUTS, AND /OR TERMINATORS

STRUCTURE TYPE 48"x78"x78" OOCEA FIBER MANHOLE

Oldcastle™ Precast Inc.

890 WEST TAFT VINELAND RD. ORLANDO FL 32824
(407) 856-7580 • FAX: (407) 856-2424

PROJECT	CONTRACTOR	DRAWING NO.	SCALE: 1"=6'
		STR. NO.: XX	SHEET: 1 OF 1
		PRODUCED:	SHIPPED:
		CHECKED:	DATE:
		DRAWN: S/W	DATE: 2/9/07

WALLS	BASE:	PRODUCTION YARDAGE	WEIGHTS	REINFORCEMENT
	WALL:			
	TOP:			
	WALL:			
	LID:			
	CASTING:			
	HATCH:			
	STEEL WT.:			

REMARKS: