



PLAN VIEW

24"x36" GALV. FRAME AND COVER
LETTERING - "SPECIFY"




- NOTES:
- CONCRETE: 28 DAY COMPRESSIVE STRENGTH $f'_c=4,000$ psi.
 - PRECAST STRUCTURE ARE PRODUCED TO MEET OR EXCEED ASTM SPECIFICATIONS
 - SUPPORTS H20 LOADING AS INDICATED BY AASHTO
 - CONTRACTOR TO VERIFY SIZE AND LOCATION OF ALL OPENINGS


KNOCK-OUTS, BLOCK-OUTS, TERMINATORS, AND CUSTOM LETTERING ON COVERS ARE AVAILABLE UPON REQUEST. CONTRACTOR MUST SPECIFY




FRONT VIEW



RIGHT VIEW




BACK VIEW



RIGHT VIEW

STRUCTURE TYPE "24"x36"VARIABLES VAULT"



890 WEST TAFT-VINELAND RD. ORLANDO FL 32824
(407) 856-7580 • FAX: (407) 856-2424

CONTRACTOR

PROJECT

DRAWN: SJW

DATE: 2/29/08

CHECKED:

DATE:

PRODUCED:

SHIPPED:

STR. NO.: XX

S.O. NO.: 00000

L.N. NO.:

DRAWING NO.:

LOC.:

SCALE: 1"=64"

SHEET: 1 OF 1

REMARKS:

WALLS

PRODUCTION YARDAGE

WEIGHTS

REINFORCEMENT

BASE:

WALL:

TOP:

WALL:

LID:

CASTING:

HATCH:

STEEL WT.:

CONC. WT.:

24X36 FRAME AND COVER