


**ISO VIEW**  
 SCALE: 3/16" = 1'-0"

**PLAN VIEW**

(TRANSITION SLAB NOT SHOWN)

PIPE SIZE	PIPE CHAMBER							TRANSITION "L" x 5'-4"	WEIGHTS	
	(RCP) HOLE SIZE	(CMP) HOLE SIZE	"X" x 4'-0"	"Z"	"T"	"ZOA" x 6'-8"	"XOA" x 6'-8"		TRAN. SLAB PIPE CHAMBER	TOTAL WT.
30"	42"	34"	4'-0"	3'-9"	12"	5'-5"	6'-8"	5'-4"	1,592 #	13,715 #
36"	48"	40"	4'-0"	4'-3"	12"	5'-11"	6'-8"	5'-4"	12,123 #	
42"	56"	46"	5'-6"	4'-10"	12"	6'-6"	8'-2"	6'-10"	2,401 #	16,972 #
48"	64"	52"	5'-6"	5'-5"	14"	7'-3"	8'-2"	6'-10"	14,571 #	
54"	70"	58"	6'-6"	6'-0"	14"	7'-10"	9'-2"	7'-10"	2,936 #	22,367 #
60"	78"	64"	6'-6"	6'-6"	14"	8'-4"	9'-2"	7'-10"	19,431 #	



**SPECIFICATIONS:**  
 1. Concrete minimum compression strength:  
 F'c=5,000 PSI @ 28 days.  
 2. Reinforcing steel: ASTM A615, Fy=60,000 PSI

ITEMS ARE SUBJECT TO CHANGE WITHOUT NOTICE.