Plastibeton®

Cable Trench

Lightweight Design

High-Strength




Trusted Performance



Plastibeton® cable trench contains, protects and allows easy access to power, control, signal, communication, and fiber optic cables. Made of a unique, patented High-Density Polymer Concrete, the Plastibeton cable trench system offers flexibility, strength, and exceptional resistance to freeze/thaw conditions. It exceeds industry standards with an unmatched strength-to-weight ratio, allowing safe, long-term cable access and reduced installation and maintenance costs.

Advanced composite design.



Options & Accessories

- · Locking Covers
- Dividers
- · Cable Clips
- Unistrut
- · Cable Riser
- Corner Protectors
- Firestop
- Protection Rods
- · Attachment Plates

| | Model | Interior Width | Interior Depth | Length | Weight |
|-------|----------------------------------|----------------|----------------|----------|----------|
| | T68 | 6 1/16" | 7 11/16" | 118 1/8" | 452 lbs |
| | T128 | 1 1 15/16" | 7 1/2" | 118 1/8" | 563 lbs |
| | T1216 | 12 1/8" | 14 11/16" | 118 1/8" | 897 lbs |
| | T2012 | 20 1/8" | 12 1/4" | 118 1/8" | 816 lbs |
| | T2016 | 20" | 16" | 118 1/8" | 1030 lbs |
| | T3012 | 30 1/8" | 13 1/16" | 118 1/8" | 1054 lbs |
| | T3016 | 29 15/16" | 14 5/16" | 118 1/8" | 1238 lbs |
| | T4016 | 40 1/8" | 15 1/8" | 118 1/8" | 1465 lbs |
| ı | High-density polymer concrete | | | | |
| nance | Traffic Rated | | | | |
| | 16,000 LB Wheel Load, 15 MPH Max | | | | |
| | Dimensions may vary slightly | | | | |

Dimensions may vary slightly.

4-A-035 Revision 3/2023

Trusted partnerships. Full scale solutions.

Mate

Perfo Ratin

